

We need to find the right treatments for women.

You may be eligible for a clinical trial for women ages 18-50 if you have vaginal pain with tampon use or intercourse.



Participation includes 4 clinic visits over 6 months, medication, physical exams, blood tests, questionnaires, and compensation for time and effort.

<https://sites.duke.edu/updatestudy/>



UPDATE

Vestibulodynia: Helping Women
with Chronic Vulvar Pain

Contact us:

Haley Cutting & Eva Gonzalez
obgynresearch@mednet.ucla.edu
(310) 206-6049



We need to find treatments that work.

Do you have vaginal pain with intercourse? You may be eligible for a clinical trial for women ages 18-50.



Participation includes 4 clinic visits over 6 months, medication, physical exams, blood tests, questionnaires, and compensation for time and effort.

<https://sites.duke.edu/updatestudy/>



UPDATE

Vestibulodynia: Helping Women
with Chronic Vulvar Pain

Contact us:

Haley Cutting & Eva Gonzalez
obgynresearch@mednet.ucla.edu
(310) 206-6049




Sex shouldn't hurt.

Do you have vaginal pain with intercourse? You may be eligible for a clinical trial for women ages 18-50.



Participation includes 4 clinic visits over 6 months, medication, physical exams, blood tests, questionnaires, and compensation of \$60 for time and effort.

<https://sites.duke.edu/updatestudy/>



Contact us:

Haley Cutting & Eva Gonzalez
obgynresearch@mednet.ucla.edu
(310) 206-6049




We need to find treatments that work.

You may be eligible for a clinical trial for women ages 18-50 if you have vaginal pain with tampon use or intercourse.



Participation includes 4 clinic visits over 6 months, medication, physical exams, blood tests, questionnaires, and compensation of \$60 for time and effort.

<https://sites.duke.edu/updatestudy/>



Contact us:

Haley Cutting & Eva Gonzalez
obgynresearch@mednet.ucla.edu
(310) 206-6049

