


Tendo-achilles Lengthening



Your son/daughter has been scheduled to undergo *tendo-achilles lengthening* to address his/her toe walking/equinus contracture. During surgery, the achilles tendon will be visualized and lengthened to allow your child to ambulate with his/her heel in contact with the ground. Surgery will last approximately ½ hour/side, and your child will receive general anesthesia.

This is an outpatient procedure; your child will go home the same day of surgery unless your child is having concurrent procedures that require a hospitalization. Your child will wake up in a short leg walking cast(s). Your child will be in this cast for 6 weeks. Your child has no weight-bearing restrictions and can walk immediately post-operatively. At 2 weeks post-op, your child will be fit for new braces (or we will determine if their current braces will suffice) and be re-casted for an additional 4 weeks. Physical therapy will start 6 weeks after surgery. Therapy will occur 1-2 times a week, focusing on for gait training and lower extremity strengthening. You will receive a prescription for physical therapy at your first post-operative visit.

You will be discharged from the hospital with Ibuprofen, Tylenol, Diazepam and Oxycodone. If your son/daughter develops fevers, chills, increase in pain, or redness/swelling/discharge at the incision site, please contact Dr. Thompson immediately. We will see you back in clinic with 2 weeks after surgery for clinical evaluation.

Surgery Time: Approximately ½ hour/side

Hospital Stay: Day SurgeryEquipment: Short Leg Cast

• Post-operative Medication: Ibuprofen, Tylenol, Diazepam, Oxycodone

Weight-bearing Status Post-Op: No Restrictions

Physical Therapy: Starts at 6 Weeks