

## GASTROINTESTINAL PATHOLOGY GROSSING GUIDELINES

**Specimen Type:** APPENDECTOMY (NON-TUMOR)

**Procedure:**

1. Measure the length and range of diameter.
2. Measure the width of mesoappendix
3. Describe the external surface and mesoappendix. Note variation in color, presence of exudates, signs of perforation, tumors.
4. Describe the presence or absence of perforation. Measure the size and location of perforation if present.
5. Section the entire appendix transversely at 3 mm intervals except for the tip, which is sectioned longitudinally.
6. Note wall thickness, state of the lumen, luminal contents (pus, fecaliths, etc.). Look for tan or yellow nodules within the wall of the appendix especially at the tip (carcinoid tumor). Note size, location, color and consistency of any tumors

**Gross Template:**

**MMODAL COMMAND: INSERT APPENDIX**

It consists of is an [*intact/ruptured*\*\*\*] appendix measuring [\*\*\*] cm in length x [\*\*\*] cm in diameter. Attached mesoappendiceal fibroadipose tissue extends [\*\*\*] cm from the wall. There is a [\*\*\*] cm in length staple line at the resection margin. The serosa is [*pink-tan and smooth, red, roughened, describe perforation if present and provide location and distance to margin-check for fecalith in lumen*\*\*\*]. The mucosa is [*pink-tan, red, granular*\*\*\*]. The lumen contains [*purulent fluid, hemorrhagic fluid, fecal material, fecalith*\*\*\*]. [*The fecalith is/is not obstructing the lumen, is calcified or not*\*\*\*]. The wall is [*describe cut surface*\*\*\*] with a [\*\*\*] cm average thickness. No perforations, masses, or other lesions are identified. Representative sections are submitted.

**CASSETTE SUMMARY:**

- [\*\*\*]1 stapled resection margin, shave and appendiceal tip, longitudinally bisected  
[\*\*\*]2 representative cross sections

**Cassette Submission:** 2 cassettes (additional cassette(s) if necessary)

- Resection margin, shave. *This should be in a separate cassette and should be specified in the cassette summary (it can be put in one cassette with the longitudinal section of the tip)*
- Submit one longitudinal section of the tip
- Submit two transverse sections from proximal and mid appendix
  - o Include inflamed areas and/or perforation sites
- **Suspected appendicitis in which appendix appears grossly normal** – submit the entire appendix
- **Incidental appendectomy** - 2 cross sections and tip.

**GASTROINTESTINAL PATHOLOGY GROSSING GUIDELINES**

