
Head and Neck Pathology Grossing Guidelines

Do not cut any HN specimens unless you are fully oriented anatomically

- Orient by anatomic structures and attached soft tissue, if any.
- Assess grossing needs on a case by case basis as these specimens vary greatly
- Refer to the OP note to aid in your orientation.
- Always ask for help if unsure of how to proceed.
- Take photographs from multiple angles (medial/lateral, anterior/posterior, superior/inferior).
- Remove any attached teeth (may be easier on fresh vs. fixed tissue).
- Ink soft tissue resection margins.
- Document overall measurements and measurements for other obvious attached tissue (i.e. paranasal sinuses, periorbital soft tissue, skin, etc.).
- For optimal sections which often include bone and soft tissue, you must freeze the specimen in liquid nitrogen (obtained from TPCL) in order to cut in composite sections. This aids in soft tissue preservation when using the saw. (Specimen can be fixed or fresh before placing in liquid nitrogen).
- Describe all abnormalities: size (*staging cutoffs: 2 cm, 4 cm*), location, extent of involvement with attached structures/bone.
- Measure and sample all margins (if grossly close, e.g. within 1 cm, submit perpendicular section; otherwise submit a shave of the margin).
- Generally, section perpendicular to the long axis of the specimen, but before you decide the plane of sectioning:
 - Think about why you are sectioning a specimen in a certain manner and consider staging elements. For complex specimens determine origin of tumor and what structures the tumor is extending into /invading, (i.e. a paranasal sinus SCC lesion may show invasion into the soft tissue surrounding and/or including the eye. Careful assessment to margins is critical at the time of gross exam!)
- Sections of tumor:
 - Show relationship to all inked margins (usually anterior, posterior, medial, lateral, superior, inferior).
 - Show involvement with bone/attached structures (even if not grossly obvious).
- Always submit sections of mass that have not be decalcified (no bone in a few sections) as decalcifying agents interfere with IHC stains.
- Diagrams and gross photos are appreciated.

Head and Neck Pathology Grossing Guidelines



Section anterior to posterior

Specimen Type: MANDIBULECTOMY

Gross Template:

MModal Command: "INSERT MANDIBLE"

It consists of a [right, left***] [hemi, composite***] mandibulectomy measuring [***] cm (anterior - posterior) x [***] cm (left - right) x [***] cm (superior - inferior) with [attached/disarticulated***] ramus measuring [***] cm (anterior - posterior) x [***] cm (left - right) x [***] cm (superior - inferior). [Describe orientation provided, if any***] [Describe and measure floor of mouth soft tissue, tongue, or other soft tissue if present and provide location on specimen- anterior, medial, lateral, etc***.] [Describe number of teeth, absent teeth, and if fillings or other grossly evident dental work is present***]

The [mucosa, soft tissue, bone***] is remarkable for [describe lesion/ area of ulceration/ area of fibrosis – location, size in two dimensions***]. Sectioning reveals a [describe cut surface- soft, calcified, necrotic, hemorrhagic, mucinous***] cut surface. The lesion [describe extension into attached structures and if there is bone involvement***] and has a [***] cm depth of invasion. The lesion measures [***] cm from the anterior bone margin, [***] cm from the posterior bone margin [if applicable otherwise delete***], [***] cm from the medial soft tissue, [***] cm from the lateral soft tissue, [***] cm from the inferior soft tissue, [***] cm from the posterior soft tissue.

The remaining cut surface of the soft tissue is [smooth, pink, unremarkable***]. The uninvolved bone is [tan-yellow, trabeculated, firm, soft***]. Representative sections are submitted. Gross photographs are taken.

INK KEY:

Orange Anterior
Black Posterior
Blue Superior
Green Inferior

Head and Neck Pathology Grossing Guidelines

Purple Medial Yellow Lateral

[insert cassette summary***]

Cassette Submission:

- Shave of all bone margins
 - Hemimandible without ramus:
 - Anterior/Midline
 - Posterior (there may not be a posterior bone margin)
 - Superior
 - o Hemimandible with ramus
 - Anterior/Midline mandible
 - Superior ramus
 - Hemimanidble with disarticulated ramus
 - Anterior/Midline
 - Articulated joints are not bone margins
- Soft tissue and mucosal margins/inked surfaces
 - Perpendicular sections of tumor at closest approach to these margins
 - Anterior, posterior, medial, lateral, superior (if not mucosa/mucosa is not a margin), inferior
- One cassette per 1 cm of lesion
 - Include bone involvement or adjacent structures
 - 1-2 cassettes which do not require decalcification